



PRODUCT CERTIFICATE

Certificate Number:
6088-2015-CE-DEN-DNV, rev. 2
ID no.: 451

Initial Certification Date:
24 February 2015

Validity:
02 July 2021 to termination

It is hereby certified that:

Daloc AB

Box 43, 545 21 Töreboda, Sweden

with the following production site

Daloc Trädörrar AB

Industrigatan 15, 545 31 Töreboda, Sweden

fulfils the requirements in:

DS/EN 13501-2:2016

This certificate is valid for following scope:

Fire classification of construction products and building elements – Part 2: Classification using data from fire resistance tests, excluding ventilation services

For more details see appendix to certificate

The certificate is valid on the condition that the certificate holder complies with the current rules for certification and conformity with standards and the specific rules for certification of products, SBC 2100. The certificate is not transferable.

Place and date:
Hellerup, 02 July 2021

For the issuing office:
DNV - Business Assurance
Tuborg Parkvej 8, 2., 2900 Hellerup, Denmark

Jesper Schultz
Managing Director

Appendix to Certificate

Fire Class	Product Type	Additional Parameters	Technical Report
EI ₂ 30	Single leaf, side-hinged	Door leaf 48 mm 1090 x 2193 mm (width x height) According to classification, the size can be increased as: Either max width 1369 mm or as max height 2522 mm. Under no circumstances shall the total area of the door exceed 20% of the original samples.	SP Classification Report, PX26440-2, 2014-11-05. SP Test Report, 4P00462-2, 2014-03-26. SP Extended Application, PX26440-1, 2014-11-04
	Double leaf, side-hinged	Door leaf 48 mm 2130 x 2148 mm (width x height) According to classification, the size can be increased as: Either max width 2519 mm or as max height 2522 mm. Under no circumstances shall the total area of the door exceed 20% of the original samples.	SP Classification Report, PX26440-2, 2014-11-05. SP Test Report, 3P02949, 2013-06-13. SP Extended Application, PX26440-1, 2014-11-04.
	Single leaf, side-hinged	Door leaf 64 mm 1190 x 2193 mm (width x height)	RISE Classification Report, 4P02931-2, 2018-01-15. SP Test Report, 5P05713, 2015-12-09. RISE Extended Application, 4P02931-1, 2018-01-15.
	Double leaf, side-hinged	Door leaf 64 mm 2190 x 2193 mm (width x height)	RISE Classification Report, 4P02931-2, 2018-01-15. SP Test Report, 5P05713, 2015-12-09. RISE Extended Application, 4P02931-1, 2018-01-15.
EI ₂ 60	Single leaf, side-hinged	Door leaf 64 mm 1190 x 2193 mm (width x height)	RISE Classification Report, 4P02931-2, 2018-01-15. SP Test Report, 6P06041, 2016-11-30. RISE Extended Application, 4P02931-1, 2018-01-15.
	Double leaf, side-hinged	Door leaf 64 mm 2190 x 2193 mm (width x height)	RISE Classification Report, 4P02931-2, 2018-01-15. SP Test Report, 6P06041, 2016-11-30. RISE Extended Application, 4P02931-1, 2018-01-15.